



ESD Safe anti-allergic (with silver fibers) Wrist Strap

P/N: IWSAAESD-1603

Anti-static Wrist Strap absorbs static charges from personnel to protect static sensitive electronic devices.

- Elastic Polyester fabric with conductive silver Fibres
- Plastic back plate eliminates allergic skin reaction
- In-built 1 MOhm resistor
- Available in blue colour
- Length of Cord: 8 feet
- Snap Button at one end & Banana Plug with Alligator clip at other end
- Easily adjustable, one size fits to all



ESD Safe Wrist Strap

P/N: IWSESD-1602

- Elastic Polyester fabric with conductive plated threads
- In-built 1 MOhm resistor
- Length of Cord: 6 feet
- Snap Button at one end & Banana Plug with Alligator clip at other end



Grounding Cord

P/N: IGC-1601

- Designed to ground ESD Table Mat
- Provides two grounding points, one for Wrist Strap & other for connection to ground
- One end has Snap Button and 2 Banana Jacks & other end has Grounding Thimble
- Length: 2 meters (approx.)



ESD Chip Component Box

P/N: ESD-BOX-M

- Surface resistance: $10^4 \sim 10^6 \Omega$
- Size: 56x32x21 mm (approx.)
- Spring loaded top cover
- Very useful to store miniature SMD Chip Components



ESD Safe Slippers

P/N: ISESD-1606

- ESD Safe and skidproof
- Tenacious sole and upper
- Comfortable & convenient
- Washable & wear-resistant
- Resistivity: $10^6 \sim 10^9 \text{ ohm}$
- Colour: Black/Blue
- Size: 40 and 42



ESD Safe Dispensing Bottle

P/N: ESD-DB-180



- Made up of Polyethylene
- Stainless steel one touch pump top
- Capacity: 180ml
- Surface resistivity: $10^9 \sim 10^{10} \text{ Ohms}$

ESD Safe Flux Bottle

P/N: EFAB-60



- Made up of Polyurethylene
- Stainless Steel Hypodermic Needle
- Capacity: 80ml
- Surface resistivity: $10^9 \sim 10^{10} \text{ Ohms}$

shown trademarks are property of their respective owners.

While the information contained herein in, has been carefully compiled to the best of our knowledge, nothing is intended as representation and warranty on our part; and no statement shall be construed as recommendation to infringe any of existing patents. We accept no liability of whatsoever for any faults and errors in the information contained herein. Contents of this catalogue and specifications of the products, are subject to change without notice due to continuous improvements.

There is no warranty for these consumable items.