

Table Mat Kits as per sizes of customer's tables are also available



**Ready-to-use Table Mat Kit of 0.6 x 1.2 meter**

**P/N: ITGM-0612**

This kit contains:

- ESD Safe Table Mat of size 0.6 x 1.2 meter with 2 Snap Buttons on opposite corners
- Anti allergic type Wrist Strap with silver fibers
- Dual Jack Grounding Cord with 1MΩ Resistor

**Ready-to-use Table Mat Kit of 0.9 x 1.5 meter**

**P/N: ITGM-0915**

This kit contains:

- ESD Safe Table Mat of size 0.9 x 1.5 meter with 2 Snap Buttons on opposite corners
- Anti allergic type Wrist Strap with silver fibers
- Dual Jack Grounding Cord with 1MΩ Resistor



Ready-to-use ESD safe Table Mat Kits provide ESD safety with reliable grounding for personnel at work to protect the expensive static sensitive components and PCBs from static charge. Static charge is absorbed thru the grounding cord from the Table Mat. Resistivity: Top layer:  $10^6\Omega \sim 10^9\Omega$ , Bottom layer:  $10^3\Omega \sim 10^5\Omega$



2-layer, 2mm thick Mat



Anti-allergic type Wrist Strap with silver fibers

Male Snap Button is fixed with Female Snap Button on the Mat & Banana Plug of Wrist Strap is inserted in one point of the Dual Point Grounding Cord.

Dual Point Grounding Cord with 1MΩ resistance inside  
- Bare Copper wire conductor  
- Polypropylene wire insulation  
- Static discharge time of <0.1S

Ring Terminal of Grounding Cord is connected with grounding strip to ground the Table Mat

No warranty is applicable for these types of consumable items.

shown trademarks are property of their respective owners.

While the information contained herein in, has been carefully compiled to the best of our knowledge, nothing is intended as representation and warranty on our part; and no statement shall be construed as recommendation to infringe any of existing patents. We accept no liability of whatsoever for any faults and errors in the information contained herein. Contents of this catalogue and specifications of the products, are subject to change without notice due to continuous improvements.



## Top Most Quality Matte Finish Green ESD Safe Table Mat Rolls


**INDE**  
reliable & caring since 1976

We offer very competitive price and normally immediate delivery



### Available in following sizes:

- 0.9 meter width x 10 meter length
- 1.0 meter width x 10 meter length
- 1.2 meter width x 10 meter length



2-Layer ESD Rubber Mats have a top layer of static dissipative rubber layer laminated to a black conductive rubber bottom layer. Surface resistivity of the top layer is  $10^6 \sim 10^9$  ohm and the bottom layer is  $10^3 \sim 10^5$  ohm. The 2-Layer ESD Rubber Mat material offers excellent resistance to oil, grease and most common solvent. These Mats provide ESD safe working for Workstations, used in electronics assembly/repair/field's service.

### Specifications:

Resistivity of surface layer	: $10^6 \Omega \sim 10^9 \Omega$	Colour	: Green
Resistivity of bottom layer	: $10^3 \Omega \sim 10^5 \Omega$	Thickness	: 2.0mm
Volume Resistivity	: $10^5 \Omega \sim 10^8 \Omega$	Tensile strength	: 4 ~ 6Mpa
Wear rate	: 0.02g/cm <sup>2</sup>	Elongation at break	: 250%
Electrostatic dissipation time	: < 0.1s	Tear Strength (Right Angle Type)	: 20.6KN/m
Surface treatment	: Dull/Matte	Resilience	: 0.14
Impact Brittleness	: -250°C without	Set compression (700C x 22h)	: 25% Max
Temperature (no incision)	destruction	Temperature resistance	: 120°C

shown trademarks are property of their respective owners.

While the information contained herein in, has been carefully compiled to the best of our knowledge, nothing is intended as representation and warranty on our part; and no statement shall be construed as recommendation to infringe any of existing patents. We accept no liability of whatsoever for any faults and errors in the information contained herein. Contents of this catalogue and specifications of the products, are subject to change without notice due to continuous improvements.

No warranty is applicable for these types of consumable items.