



ESD Safe anti-allergic (with silver fibers) Wrist Strap P/N: IWSAAESD-1603 Anti-static Wrist Strap absorbs static charges from personnel to protect static sensitive electronic devices. Elastic Polyester fabric with conductive silver Fibres Plastic back plate eliminates allergic skin reaction In-built 1 MOhm resistor FSD" Safe Available in blue colour Length of Cord: 8 feet Snap Button at one end & Banana Plug with Alligator clip at other end Easily adjustable, one size fits to all **ESD Safe Wrist Strap P/N: IWSESD-1602 Grounding Cord** P/N: IGC-1601 Elastic Polyester fabric Designed to ground ESD Table Mat Provides two grounding points, with conductive plated one for Wrist Strap & threads other for connection In-built 1 MOhm resistor to ground Length of Cord: 6 feet One end has Snap Snap Button at one end & Button and 2 Banana Banana Plug with Alligator Jacks & other end has clip at other end Grounding Thimble Length: 2 meters (approx.) ESD" Saf **ESD Chip Component Box** P/N: ESD-BOX-M **ESD Safe Slippers** P/N: ISESD-1606 ESD Safe and skidproof Surface resistance: 10⁴ ~10⁶ Ω (¢ Tenacious sole and upper Size: 56x32x21 mm (approx.) Comfortable & convenient Spring loaded top cover Washable & wear-resistant Very useful to store Resistivity: 10⁶~10⁹ ohm Colour: Black/Blue miniature SMD Chip • Size: 40 and 42 ESD" Safe Components **P/N: ESD-DB-180 ESD Safe Flux Bottle** ESD Safe Dispensing Bottle P/N: EFAB-60 Made up of Polyethylene Made up of Polyurethylene · Stainless steel one touch Stainless Steel Hypodermic Needle pump top Capacity: 180ml Capacity: 80ml Surface resistivity: 10⁹ ~ 10¹⁰Ohms Surface resistivity: 10⁹ ~ 10¹⁰Ohms

shown trademarks are property of their respective owners.

There is no warranty for these consumable items.

While the information contained herein in, has been carefully compiled to the best of our knowledge, nothing is intended as representation and warranty on our part; and no statement shall be construed as recommendation to infringe any of existing patents. We accept no liability of whatsoever for any faults and errors in the information contained herein. Contents of this catalogue and specifications of the products, are subject to change without notice due to continuous improvements.

2